

MINI DIGITAL CALIPERS


ATTENTION:
NO DATA OUTPUT

- Non waterproof
- Resolution: 0.01mm/0.0005"
- Buttons: zero, mm/inch, on/off
- Automatic power off, move the digital unit to turn on power
- Battery LR44
- Meet DIN862
- Made of stainless steel



1111-100A

| Code | Range | Accuracy | L |
|-----------|--------------|----------|-------|
| 1111-75A | 0-75mm/0-3" | ±0.02mm | 144mm |
| 1111-100A | 0-100mm/0-4" | ±0.02mm | 170mm |



PLASTIC DIGITAL CALIPER


ATTENTION:
NO DATA OUTPUT

- Non waterproof
- Made of hard plastic, non-magnetic and non electric conductive
- Prevent workpieces from scratching by calipers
- Resolution: 0.01mm/0.0005"
- Buttons: on/off, zero, mm/inch
- Battery CR2032, automatic power off



1139-150


| Code | Range | Accuracy |
|----------|--------------|----------|
| 1139-150 | 0-150mm/0-6" | ±0.1mm |



MINI VERNIER CALIPERS

- Meet DIN862
- Made of stainless steel
- Satin chrome plated reading surface


| Code | Range | Graduation | Accuracy |
|---------|--------|------------|----------|
| 1204-70 | 0-70mm | 0.05mm | ±0.05mm |



1204-70




| Code | Range | Graduation | Accuracy |
|-----------|---------|------------|----------|
| 1203-1003 | 0-100mm | 0.05mm | ±0.05mm |



1203-1003



| Code | Range | Graduation | Accuracy |
|-----------|---------|------------|----------|
| 1201-1003 | 0-100mm | 0.05mm | ±0.05mm |



1201-1003



POPULAR MODEL

VERNIER CALIPERS

2



1205-150S

Graduation 0.05mm/1/128" (mm)

| Code | Range | Accuracy | L | a | b | c | d |
|-----------|---------------|----------|-----|------|------|----|----|
| 1205-150S | 0-150mm/0-6" | ±0.05mm | 235 | 20.5 | 15.5 | 16 | 40 |
| 1205-200S | 0-200mm/0-8" | ±0.05mm | 290 | 23.5 | 19 | 17 | 50 |
| 1205-250S | 0-250mm/0-10" | ±0.05mm | 364 | 27.5 | 22 | 20 | 64 |
| 1205-300S | 0-300mm/0-12" | ±0.05mm | 414 | 27.5 | 22 | 20 | 64 |

Graduation 0.05mm (mm)


| Code | Range | Accuracy | L | a | b | c | d |
|------------|---------|----------|-----|------|------|----|----|
| 1205-1503S | 0-150mm | ±0.05mm | 235 | 20.5 | 15.5 | 16 | 40 |
| 1205-2003S | 0-200mm | ±0.05mm | 290 | 23.5 | 19 | 17 | 50 |
| 1205-2503S | 0-250mm | ±0.05mm | 350 | 26 | 21.5 | 16 | 60 |
| 1205-3003S | 0-300mm | ±0.05mm | 414 | 27.5 | 22 | 20 | 64 |

Graduation 0.02mm/0.001" (mm)

| Code | Range | Accuracy | L | a | b | c | d |
|------------|---------------|----------|-----|------|------|----|----|
| 1205-1502S | 0-150mm/0-6" | ±0.03mm | 235 | 20.5 | 15.5 | 16 | 40 |
| 1205-2002S | 0-200mm/0-8" | ±0.03mm | 290 | 23.5 | 19 | 17 | 50 |
| 1205-2502S | 0-250mm/0-10" | ±0.03mm | 364 | 27.5 | 22 | 20 | 64 |
| 1205-3002S | 0-300mm/0-12" | ±0.03mm | 414 | 27.5 | 22 | 20 | 64 |

Graduation 0.02mm (mm)

| Code | Range | Accuracy | L | a | b | c | d |
|------------|---------|----------|-----|------|------|----|----|
| 1205-1501S | 0-150mm | ±0.03mm | 235 | 20.5 | 15.5 | 16 | 40 |
| 1205-2001S | 0-200mm | ±0.03mm | 290 | 23.5 | 19 | 17 | 50 |
| 1205-2501S | 0-250mm | ±0.03mm | 350 | 26 | 21.5 | 16 | 60 |
| 1205-3001S | 0-300mm | ±0.03mm | 414 | 27.5 | 22 | 20 | 64 |



- Meet DIN862
- Made of stainless steel
- Satin chrome plated reading surface


VERNIER CALIPER WITH ROUND DEPTH BAR



1202-150

- Graduation 0.05mm/1/128"
- Round depth bar
- Meet DIN862
- Made of stainless steel
- Satin chrome plated reading surface

| Code | Range | Accuracy |
|----------|--------------|----------|
| 1202-150 | 0-150mm/0-6" | ±0.05mm |




VERNIER CALIPERS WITH FINE ADJUSTMENT

- Graduation 0.02mm/0.001"
- With fine adjustment
- Meet DIN862
- Made of stainless steel
- Satin chrome plated reading surface



1233-130

| Code | Range | Accuracy | L | a | b | c | d | (mm) |
|----------|---------------|----------|-----|------|------|----|----|------|
| 1233-130 | 0-130mm/0-5" | ±0.03mm | 230 | 20.5 | 16.5 | 16 | 40 | |
| 1233-180 | 0-180mm/0-7" | ±0.03mm | 295 | 23.5 | 19 | 16 | 50 | |
| 1233-280 | 0-280mm/0-11" | ±0.03mm | 410 | 26 | 20 | 20 | 60 | |



VERNIER CALIPERS WITH THUMB CLAMP

- Meet DIN862
- With thumb clamp
- Made of stainless steel
- Satin chrome plated reading surface

Graduation 0.05mm/1/128" (mm)


| Code | Range | Accuracy | L | a | b | c | d | (mm) |
|----------|--------------|----------|-----|------|------|----|----|------|
| 1223-150 | 0-150mm/0-6" | ±0.05mm | 230 | 20.5 | 16.5 | 16 | 40 | |
| 1223-200 | 0-200mm/0-8" | ±0.05mm | 295 | 23.5 | 19 | 16 | 50 | |



1223-150

Graduation 0.02mm/0.001" (mm)

| Code | Range | Accuracy | L | a | b | c | d | (mm) |
|-----------|--------------|----------|-----|------|------|----|----|------|
| 1223-1502 | 0-150mm/0-6" | ±0.03mm | 230 | 20.5 | 16.5 | 16 | 40 | |
| 1223-2002 | 0-200mm/0-8" | ±0.03mm | 295 | 23.5 | 19 | 16 | 50 | |




VERNIER CALIPERS WITH CARBIDE TIPPED JAWS

- Carbide tipped jaws for inside and outside measurements
- Meet DIN862
- Made of stainless steel
- Satin chrome plated reading surface

Graduation 0.05mm/1/128" (mm)


| Code | Range | Accuracy | L | a | b | c | d | (mm) |
|----------|---------------|----------|-----|----|------|----|----|------|
| 1238-150 | 0-150mm/0-6" | ±0.05mm | 230 | 21 | 16.5 | 16 | 40 | |
| 1238-200 | 0-200mm/0-8" | ±0.05mm | 295 | 24 | 19 | 16 | 50 | |
| 1238-300 | 0-300mm/0-12" | ±0.05mm | 410 | 25 | 20 | 16 | 60 | |



1238-150

Graduation 0.02mm/0.001" (mm)

| Code | Range | Accuracy | L | a | b | c | d | (mm) |
|-----------|---------------|----------|-----|----|------|----|----|------|
| 1238-1502 | 0-150mm/0-6" | ±0.03mm | 230 | 21 | 16.5 | 16 | 40 | |
| 1238-2002 | 0-200mm/0-8" | ±0.03mm | 295 | 24 | 19 | 16 | 50 | |
| 1238-3002 | 0-300mm/0-12" | ±0.03mm | 410 | 25 | 20 | 16 | 60 | |





VERNIER CALIPERS

1217-3001

- With fine adjustment
- Made of stainless steel
- Satin chrome plated reading surface


| Code | Range | Graduation | Accuracy | L |
|-----------|---------|------------|----------|-------|
| 1217-2503 | 0-250mm | 0.05mm | ±0.05mm | 360mm |
| 1217-3001 | 0-300mm | 0.02mm | ±0.03mm | 410mm |


**ATTENTION:
NOT HARDENED**
PURE COPPER
VERNIER CALIPERS (ANTI MAGNETIC)

- Suitable for magnetic parts
- Made of pure copper


1224-150A


| Code | Range | Graduation | Accuracy |
|------------|---------|------------|----------|
| 1224-150A | 0-150mm | 0.02mm | ±0.05mm |
| 1224-1501A | 0-150mm | 0.05mm | ±0.05mm |


LEFT HAND VERNIER CALIPERS

- Designed for left handed users
- Made of stainless steel
- Satin chrome plated reading surface


1239-1502



| Code | Range | Graduation | Accuracy |
|-----------|--------------|---------------|----------|
| 1239-150 | 0-150mm/0-6" | 0.05mm/1/128" | ±0.05mm |
| 1239-1503 | 0-150mm | 0.05mm | ±0.05mm |
| 1239-1502 | 0-150mm/0-6" | 0.02mm/0.001" | ±0.03mm |
| 1239-1501 | 0-150mm | 0.02mm | ±0.03mm |


TEETH VERNIER CALIPER

- Used for teeth
- Made of stainless steel


1226-70

| Code | Range | Graduation | Accuracy |
|---------|--------|------------|----------|
| 1226-70 | 0-70mm | 0.1mm | ±0.1mm |




DATA
OUTPUT

DIGITAL CALIPERS



1135-601

- Non waterproof
- Resolution: 0.01mm/0.0005"
- Button function: on/off, zero, mm/inch, ABS, data preset
- Battery CR2032
- Made of stainless steel



With data interface (optional data output cable:
code 7315-22 receiver is needed page 5,
7214-22 page 11, 7302-22 page 20)

| Code | Range | Accuracy | a | c | d | L |
|-----------|----------------|----------|----|----|-----|------|
| 1135-451 | 0-450mm/0-18" | ±0.05mm | 45 | 24 | 100 | 625 |
| 1135-601 | 0-600mm/0-24" | ±0.05mm | 45 | 24 | 100 | 770 |
| 1135-1002 | 0-1000mm/0-40" | ±0.08mm | 60 | 31 | 150 | 1220 |

Built-in wireless
(receiver code 7315-2/3/6/7/8/9 is needed)


| Code | Range | Accuracy | a | c | d | L |
|------------|---------------|----------|----|----|-----|-----|
| 1135-451WL | 0-450mm/0-18" | ±0.05mm | 45 | 24 | 100 | 625 |
| 1135-601WL | 0-600mm/0-24" | ±0.05mm | 45 | 24 | 100 | 770 |

VERNIER CALIPERS (SOLID TYPE)

- With fine adjustment
- Made of stainless steel
- Satin chrome plated reading surface



1236-521

 solid type
(without screw)


Graduation 0.05mm/1/128" (mm)

| Code | Range | Accuracy | a | b | c | d | e | L |
|-----------|----------------|----------|----|----|----|-----|----|------|
| 1236-394 | 0-300mm/0-12" | ±0.07mm | 12 | 38 | 20 | 90 | 10 | 450 |
| 1236-514 | 0-500mm/0-20" | ±0.07mm | 18 | 45 | 24 | 100 | 20 | 670 |
| 1236-524 | 0-500mm/0-20" | ±0.08mm | 18 | 45 | 24 | 150 | 20 | 670 |
| 1236-614 | 0-600mm/0-24" | ±0.08mm | 18 | 45 | 24 | 100 | 20 | 770 |
| 1236-824 | 0-800mm/0-32" | ±0.09mm | 24 | 60 | 31 | 150 | 20 | 1030 |
| 1236-1024 | 0-1000mm/0-40" | ±0.12mm | 24 | 60 | 31 | 150 | 20 | 1230 |

Graduation 0.02mm (mm)


| Code | Range | Accuracy | a | b | c | d | e | L |
|-----------|----------|----------|----|----|----|-----|----|------|
| 1236-511 | 0-500mm | ±0.05mm | 18 | 45 | 24 | 100 | 20 | 670 |
| 1236-521 | 0-500mm | ±0.06mm | 18 | 45 | 24 | 150 | 20 | 670 |
| 1236-1021 | 0-1000mm | ±0.08mm | 24 | 60 | 31 | 150 | 20 | 1230 |

VERNIER CALIPERS (SOLID TYPE)

- Graduation 0.05mm/1/128"
- With fine adjustment
- Made of stainless steel
- Satin chrome plated reading surface



1207-514

 solid type
(without screw)


(mm)

| Code | Range | Accuracy | a | b | c | d | e | L |
|-----------|----------------|----------|----|----|----|-----|----|------|
| 1207-394 | 0-300mm/0-12" | ±0.07mm | 12 | 40 | 20 | 90 | 10 | 440 |
| 1207-514 | 0-500mm/0-20" | ±0.07mm | 18 | 56 | 24 | 100 | 20 | 670 |
| 1207-524 | 0-500mm/0-20" | ±0.08mm | 18 | 56 | 24 | 150 | 20 | 670 |
| 1207-824 | 0-800mm/0-32" | ±0.09mm | 24 | 67 | 31 | 150 | 20 | 930 |
| 1207-1024 | 0-1000mm/0-40" | ±0.12mm | 24 | 67 | 31 | 150 | 20 | 1230 |

VERNIER CALIPERS (SOLID TYPE)

- With fine adjustment
- Made of stainless steel
- Satin chrome plated reading surface



1208-511

Graduation 0.05mm/1/128" (mm)



| Code | Range | Accuracy | a | c | d | e | L |
|-----------|----------------|----------|----|----|-----|----|------|
| 1208-214 | 0-200mm/0-8" | ±0.06mm | 10 | 20 | 100 | 10 | 330 |
| 1208-394 | 0-300mm/0-12" | ±0.07mm | 10 | 20 | 90 | 10 | 410 |
| 1208-324 | 0-300mm/0-12" | ±0.07mm | 18 | 24 | 150 | 20 | 410 |
| 1208-524 | 0-500mm/0-20" | ±0.08mm | 18 | 24 | 150 | 20 | 670 |
| 1208-614 | 0-600mm/0-24" | ±0.08mm | 18 | 24 | 100 | 20 | 770 |
| 1208-624 | 0-600mm/0-24" | ±0.09mm | 18 | 24 | 150 | 20 | 770 |
| 1208-824 | 0-800mm/0-32" | ±0.09mm | 24 | 31 | 150 | 20 | 1030 |
| 1208-1024 | 0-1000mm/0-40" | ±0.12mm | 24 | 31 | 150 | 20 | 1230 |
| 1208-1524 | 0-1500mm/0-60" | ±0.16mm | 24 | 42 | 150 | 20 | 1820 |
| 1208-2024 | 0-2000mm/0-80" | ±0.20mm | 24 | 42 | 150 | 20 | 2330 |

solid type
(without screw)



Graduation 0.02mm (mm)

| Code | Range | Accuracy | a | c | d | e | L |
|-----------|----------|----------|----|----|-----|----|------|
| 1208-511 | 0-500mm | ±0.05mm | 18 | 24 | 100 | 20 | 670 |
| 1208-521 | 0-500mm | ±0.06mm | 18 | 24 | 150 | 20 | 670 |
| 1208-1021 | 0-1000mm | ±0.08mm | 24 | 31 | 150 | 20 | 1230 |
| 1208-1521 | 0-1500mm | ±0.11mm | 24 | 42 | 150 | 20 | 1820 |



VERNIER CALIPERS (SOLID TYPE)

- With fine adjustment
- Made of stainless steel
- Satin chrome plated reading surface



1210-611


Graduation 0.05mm/1/128" (mm)

| Code | Range | Accuracy | a | c | d | L |
|-----------|----------------|----------|----|----|-----|------|
| 1210-614 | 0-600mm/0-24" | ±0.08mm | 45 | 24 | 100 | 770 |
| 1210-1024 | 0-1000mm/0-40" | ±0.12mm | 60 | 31 | 150 | 1230 |

Graduation 0.02mm (mm)

| Code | Range | Accuracy | a | c | d | L |
|-----------|----------|----------|----|----|-----|------|
| 1210-611 | 0-600mm | ±0.05mm | 45 | 24 | 100 | 770 |
| 1210-1021 | 0-1000mm | ±0.08mm | 60 | 31 | 150 | 1230 |

solid type
(without screw)



POPULAR MODEL

VERNIER CALIPERS (SEPARATE TYPE)

2



- With fine adjustment
- Made of stainless steel
- Satin chrome plated reading surface



1214-500

Graduation 0.02mm/0.001" (mm)

| Code | Range | Accuracy | a | c | d | e | L |
|-----------|----------------|----------|----|----|-----|----|------|
| 1214-300 | 0-300mm/0-12" | ±0.05mm | 10 | 20 | 75 | 10 | 410 |
| 1214-450 | 0-450mm/0-18" | ±0.05mm | 18 | 24 | 100 | 20 | 620 |
| 1214-500 | 0-500mm/0-20" | ±0.05mm | 18 | 24 | 100 | 20 | 670 |
| 1214-600 | 0-600mm/0-24" | ±0.05mm | 18 | 24 | 100 | 20 | 770 |
| 1214-1000 | 0-1000mm/0-40" | ±0.08mm | 24 | 32 | 140 | 20 | 1216 |
| 1214-1500 | 0-1500mm/0-60" | ±0.12mm | 24 | 42 | 200 | 20 | 1830 |
| 1214-2000 | 0-2000mm/0-80" | ±0.14mm | 24 | 42 | 200 | 20 | 2320 |



separate type (with screws)



Graduation 0.05mm/1/128" (mm)

| Code | Range | Accuracy | a | c | d | e | L |
|-----------|----------------|----------|----|----|-----|----|------|
| 1214-6004 | 0-600mm/0-24" | ±0.08mm | 18 | 24 | 100 | 20 | 770 |
| 1214-1004 | 0-1000mm/0-40" | ±0.12mm | 24 | 32 | 140 | 20 | 1216 |

LONG JAW VERNIER CALIPERS (SEPARATE TYPE)



- With fine adjustment
- Made of stainless steel
- Satin chrome plated reading surface




1215-1032

Graduation 0.02mm/0.001" (mm)

| Code | Range | Accuracy | a | c | d | e | L |
|-----------|-----------------|----------|----|----|-----|----|------|
| 1215-392 | 0-300mm/0-12" | ±0.05mm | 10 | 17 | 90 | 10 | 410 |
| 1215-322 | 0-300mm/0-12" | ±0.05mm | 18 | 24 | 150 | 20 | 470 |
| 1215-522 | 0-500mm/0-20" | ±0.06mm | 18 | 24 | 150 | 20 | 670 |
| 1215-532 | 0-500mm/0-20" | ±0.06mm | 18 | 24 | 200 | 20 | 670 |
| 1215-622 | 0-600mm/0-24" | ±0.06mm | 18 | 24 | 150 | 20 | 770 |
| 1215-642 | 0-600mm/0-24" | ±0.08mm | 24 | 32 | 250 | 20 | 870 |
| 1215-822 | 0-800mm/0-32" | ±0.07mm | 24 | 32 | 150 | 20 | 1020 |
| 1215-832 | 0-800mm/0-32" | ±0.07mm | 24 | 32 | 200 | 20 | 1020 |
| 1215-1032 | 0-1000mm/0-40" | ±0.08mm | 24 | 32 | 200 | 20 | 1220 |
| 1215-1052 | 0-1000mm/0-40" | ±0.11mm | 24 | 42 | 300 | 20 | 1330 |
| 1215-3052 | 0-3000mm/0-120" | ±0.26mm | 24 | 50 | 300 | 20 | 3360 |



separate type (with screws)



Graduation 0.05mm/1/128" (mm)

| Code | Range | Accuracy | a | c | d | e | L |
|-----------|----------------|----------|----|----|-----|----|------|
| 1215-524 | 0-500mm/0-20" | ±0.08mm | 18 | 24 | 150 | 20 | 670 |
| 1215-1034 | 0-1000mm/0-40" | ±0.12mm | 24 | 32 | 200 | 20 | 1330 |